

Lab 5: Software Design, Database Creation

Due date: Monday, February 8, in-class.

This is a **team lab**. Each team submits one set of deliverables.

Lab Overview

This is the last project-related lab for the class. During this lab each team will do the following:

- Finalize the database design started in Labs 3 and 4.
- Create the database using the data provided by the customer.
- Prepare the software design and the GUI prototypes for the key functionality of the software.

The lab does not have specific stages, however, on **Monday, February 1**, we will receive a visit from Tony Casparro. He will spend 10-15 minutes talking to each team in turn. The specific instructions for what each team is expected to achieve during its time with the customer are provided below.

Software Specification

The main document driving your software specification and prototyping efforts is the **Use cases** document created by the customer. The document provides the list of use cases that the customer wants implemented in the software. The specific details of implementation of these use cases, whenever they go beyond the text of the document are left to individual teams. Some comments on the implementation strategies are given below.

Web-based and standalone application

The customer does not have a preference for the form in which the database application is delivered. Two forms have been discussed: a **web-based tool** and a **standalone Java tool**.

Standalone Java Tool. The initial intent of the project was to have each team design a standalone Java tool. For such a tool, Oracle DBMS is to be used as the back end, and JDBC connectivity — to pass information between the Java front end of the system and the Oracle back end. The system is expected to have graphical front end (use Swing or SWT, or any other Java GUI library) that is designed to accommodate all use cases and display all desired information.

Web-based Tool. Teams may elect to implement the database application as a **web-based on-line tool**.

Note, that the **use cases document** is **independent of the implementation platform**. Therefore, functionally, there will be no difference between the on-line and the standalone versions of the tool. However, you will be using different tools for your development.

Each team working on an on-line application will receive a **virtual machine (VM)** on the CSL's `csc.calpoly.edu` domain. On this machine, each team (possibly with some assistance) will install the software necessary for the project development (the LAMP stack, or any other software you elect you use). Teams will be given **root privileges** to their VMs.

Lab Assignment

System Components

Each team has to prepare the following system components as deliverables.

The database. The initial database design you proposed in Lab 4 will be returned to you with the instructor's comments no later than *Monday, February 1*. Each team shall prepare the final database design based on the newly available information and the instructor's comments. Instructor's comments, especially if/when they relate to incompleteness or outright incorrectness of the database design, need to be taken into account during the redesign. Discussion of individual teams' Lab 4 designs will occur during Friday (January 29) and Monday (February 1) lab sessions.

Bulk-loader. There is no use case associated with outright bulk loading of the database in the **Use Cases** document. However, there is a **Manufacturer Updates Products in Bulk** use case.

To make your work on SQL queries efficient, you are asked to produce a special-purpose bulk loader for the customer data. The bulk loader can be written in any programming and/or scripting language and shall be a stand-alone program. (You can and **should** later incorporate portions of it in the code base of your system).

The bulk loader shall load the data into an empty database in the following manner:

1. **First**, the bulk loader shall access the list of catalogs provided by the customer in the `catalogs.csv` file. From this list, the bulk loader shall extract the information about the **Manufacturers** and the **Catalogs** entity sets and their associations and populate appropriate database tables.
2. **Next**, for each catalog (and for each language in which the catalog is available), the bulk loader shall discover (see below) the names of the `.csv` files that store the products data. The bulk loader shall process these files to populate the database tables storing information about the products, product localizations (names, descriptions, prices), product options and their localizations.
3. **Finally**, the bulk loader shall create a number of customers, orders and carts in the database.

Note, that orders and carts are not provided as part of the customer-supplied data, but their presence in the database is necessary to successfully compose, and then, validate a number of important SQL queries in order to satisfy some customer use cases.

To help your development efforts, create a SQL script file `orders.sql`. Manually populate this file with all `INSERT` statements necessary to create the following:

- **Five** customers.
- **Five** placed orders for specific products from specific catalogs. Of these five orders:
 - **at least two orders** shall be from the same catalog;
 - **at least two orders** shall be from the same customer (it is ok to have customers with no orders in the database at this point);
 - **at least one order** shall have more than one product ordered.
 - **at least two orders** shall be for products with options.
 - **at least one order** shall use a language other than English.
- **Two carts** not yet turned into orders. The carts should be for different catalogs and shall contain at least one item each. (if you are storing carts outside of the database, you do not have to do this).

Use specific items from specific catalogs in the customer-supplied data.

Your bulk loader shall execute the `orders.sql` script after all other data has been inserted.

Software Design

Each team shall select the type of the software system it will be building (standalone or web-based) and create a prototype of the front end of the system. The key goal of the prototype is to give the instructor and the customer the idea of how the human-computer interaction outlined in the **Use Cases document** (or implied by it) will be implemented in the system.

Each team can choose how to prototype the front-end of the system for this lab.

February 1 lab period: meet with the customer. Tony Casparro will join us for the lab period on *Monday, February 1* to discuss the software design with each group and to answer any questions about other pending issues.

Each team shall have some ideas on the software prototype for Tony to discuss and comment on. Each team will have about 10 mins of Tony's time during the lab period to show the design and consult on other issues. As with **Q&A** session, Tony's comments need to be recorded and documented — eventually — on team's wiki page.

Finalizing design. Each team shall prepare the front-end design specification. The format of the specification is left to each team, but the following should be in the specification:

- For each use case, screenshots/storyboards of the GUI.
- For each use case, team's notes on the use case.
- For each use case, customer's comments and team's reaction (as applicable).

More about Bulk Loader

The **bulk loader** program/script you are asked to write for this assignment needs to satisfy the following two requirements in addition to the specifications above:

Database Connectivity. The bulk loader shall read the database connectivity information from the file `account.db` located in the same directory as the bulk loader executable.

account.db file will consist of two lines. First line will contain the loginId of the Oracle account on the ora10g.csc.calpoly.edu Oracle server which the bulk loader needs to use to connect to the database. The second line will contain the password for this account.

For example, if I want to create a database under Oracle account user05 which has password goPoly01, account.db file will look as follows:

```
user05
goPoly01
```

Catalog Files. The bulk loader shall take as input a single file name for the file identifying the list of catalogs (in the current data, the file name is "catalogs.csv").

The input file will be in CSV (comma-separated values) format. Each line of the input file will describe which CSV files contain the information about products and options for a given catalog—language pair.

The format of the CSV file record is:

```
<Manufacturer>,<Catalog>,<Currency>, <Language>,<ProductFile>,<OptionsFile>
```

Here, the column names mean the following:

Column Name	Meaning
Manufacturer	Name of the manufacturer of the catalog
Catalog	Name of the catalog
Currency	Currency of the catalog
Language	Language of the catalog
ProductFile	CSV file with the product data
OptionsFile	CSV file with the product options data

The product file name and the options file name **will include the relative path to the file from the root of the product_data directory.**

A sample line from an input file, describing the Ernie Ball US catalog will look as follows:

```
"Ernie Ball","Ernie Ball","USD","en_us",ernieball/ernie_ball_us_product_data.Ernie_Ball.USD.en_us.csv,ernieball/ernie_ball_us_option_data.Ernie_Ball.USD.en_us.csv
```

Submission Instructions

This lab has both hardcopy and electronic deliverables. It is expected that all hardcopy deliverables are also available electronically on the team's project wiki page (as wiki pages or as attachments).

Submit as hardcopy:

1. Final database design. You can submit the printout of the **DB-setup.sql** file.

2. Changelog for the final database design.
3. **Original design submissions from Labs 2 and 3.**
4. Initial software design specification.

Submit electronically using `handin`

1. The `DB-setup.sql` file with all `CREATE TABLE` statements for the group's database.
2. The `DB-drop.sql` file containing `DROP TABLE` statements for each table in your database.
3. The full code for the bulk loader program/script.
4. `README` file explaining how to run the bulk loader (and containing any other necessary explanations).
5. `orders.sql` file.

Put all the files into a single zip or gzipped tar archive `lab5.zip` (or `lab5.tar.gz`) and submit using the following command:

```
handin dekhtyar lab05 lab5.<ext>
```