

Lab 4-2: ifs and Loops...

Due date: Monday, February, 7, beginning of the lab period.

Lab Assignment

Assignment Preparation

Lab type. This is a **pair programming lab**. For this lab, you get to select your own partner. The only rule is that your partner **must be different** than your Lab 3 partner.

Collaboration. Students work in pairs, and it is considered cheating, if members of the team (pair) do not work together. Communication between pairs during lab time is allowed, but no direct sharing of code is allowed.

Purpose. The lab allows you to practice the use of loops.

Programming Style. All submitted C programs must adhere to the programming style described in detail at

<http://users.csc.calpoly.edu/~cstaley/General/CStyle.htm>

When graded, the programs will be checked for style. Any stylistic violations are subject to a 10% penalty. Significant stylistic violations, especially those that make grading harder, may yield stricter penalties. Also note the the Lab 2 requirement for the content of the header comment in each file you submit applies **to each assignment** (lab, programming assignment, homework) in this course.

Testing and Submissions. Any submission that does not compile using the

```
gcc -ansi -Wall -Werror -lm
```

compiler settings will receive an automatic score of 0.

For each program you have to write for this lab, you are provided with a copy of instructor's output, the PPM file produced by instructor's executable. The programs you submit must output exactly the same PPM file.

Program Outputs must co-incide. Any deviation in the output is subject to penalties.

Note: The difference between PPM files cannot be easily checked using Linux diff command, however, it can be observed in a straightforward manner by loading two images into an image browser and viewing them in rapid succession.

Please, make sure you test all your programs prior to submission!

Portable Pixel Maps

PPM Format Explanation

Portable Pixel Map (.ppm) file format is a simple format for storing graphical images. Files in this format can easily be created using C programs.

Basics. A computer image is a two-dimensional grid of pixels. Each pixel represents the smallest undivisible part of the computer screen. An image file is an assignment of color to each pixel. Pixels are referred to by their Cartesian coordinates. The top left corner of an image has the coordinates (0,0). The bottom right corner has the coordinates $(n - 1, m - 1)$ where n is the width of the image in pixels and m is the height of the image in pixels.

Colors. Portable pixel map files use RGB (Red, Green, Blue) color format to represent the color of each pixel. In RGB format, a color of a single pixel is separated into three components: the red component, the green component and the blue component. The final color of an RGB pixel is determined by combining the Red, Green and Blue components into a single color.

In our course, all individual RGB component intensities range from 0 (not visible) to 255 (highest intensity) and are represented as integer numbers. RGB color (0,0,0) is black, RGB color (255,255,255) is white. The table below contains the list of colors used in this lab and their RGB values.

Color	RGB Red	RGB Green	RGB Blue
black	0	0	0
white	255	255	255
red	255	0	0
green	0	128	0
blue	0	0	255
light blue	0	127	255
yellow	255	255	0
purple	255	0	255
orange	255	128	0

File format. There are two PPM formats: a "raw" PPM file and a "plain" (ASCII) PPM file. ASCII PPMs are human-readable, but they take too much space. Raw PPMs are smaller in size, but cannot be read by a human. In this lab you will be generating raw PPM files.

From <http://netpbm.sourceforge.net/doc/ppm.html> (with some modifications):

Each PPM image consists of the following:

1. A "magic number" for identifying the file type. A ppm image's magic number is the two characters "P6".
2. Whitespace (blanks, TABs, CRs, LFs).
3. A width, formatted as ASCII characters in decimal.
4. Whitespace.
5. A height, again in ASCII decimal.
6. Whitespace.
7. The maximum color value (Maxval), again in ASCII decimal. Must be less than 65536 and more than zero.
8. A single whitespace character (usually a newline).
9. A raster of *Height* rows, in order from top to bottom. Each row consists of *Width* pixels, in order from left to right. Each pixel is a triplet of red, green and blue intensities, in that order

PPM File header example. The first three lines of a PPM file containing the magic number, the height, the width and the Maxval values is called the PPM file header. A sample header, for a PPM file describing a 600 by 900 image that consists of standard RGB colors in the range of 0 to 255 is shown below:

```
P6
600 900
255
```

Representing Colors in C. Outputting raw PPM files is actually quite simple. The idea is to use `unsigned char` variables to store information about RGB intensities.

Variables of type `char` and `unsigned char` are treated by C both as a character and as a number in the range -128 – 127 or 0 — 255 respectively. The following code outputs an RGB triple to stdout.

```
unsigned char Rcolor, Bcolor, Gcolor;
Rcolor = 255;
Bcolor = 0;
Gcolor = 128;

printf("%c%c%c", Gcolor, Bcolor, Rcolor);
```

In addition to this, you can use C's `#define` directives to define color "substitutes" as follows:

```
#define RED 255,0,0
```

Constants defined this way, CANNOT be used in assignment statements, i.e., `unsigned char color = RED;` is an INCORRECT assignment. But, they can be used in `printf()` statements as follows:

```
printf("%c%c%c",RED);
```

(note, that after the preprocessor has finished its work, this statement turns into `printf("%c%c%c",255,0,0)`, which is exactly what is desired.

Viewing PPM files

On our Linux system, PPM files can be viewed using the default picture viewer (e.g., when double-clicking the PPM file icon in the directory explorer). The default picture viewer is `eog`, a.k.a., **Eye of Gnome**. To use it from command line, type:

```
> eog <fileName>.ppm &
```

On Windows, standard Windows picture viewers do not recognize PPM format. However, freeware picture viewers exist. One such viewer, `XnView` can be downloaded from

<http://www.xnview.com/en/xnview.html>

Note, `XnView` is also available for MacOS, although I have no experience running it on Macintoshes.

General Instructions

1. All programs that output ppm images should use `stdout`. We will be creating files using output redirection.
2. For this assignment, use exactly the colors specified in the color table above.
3. All images you are asked to produce are also available from the course web page.

Image 1: Flag of Bulgaria: `bulgaria.c`

Your first image is the flag of Bulgaria. The flag of Bulgaria consists of three equal-sized horizontal fields. The colors (top-to-bottom) are **white**, **red**, **green**. Your program shall output the `.ppm` file representing the flag of Bulgaria. Name your program `bulgaria.c`.

Image dimensions: 600 rows, 900 columns.

Image 2: Flag of Romania: `romania.c`

The image is the flag of Romania. The flag of Romania consists of three equal-sized vertical fields. The colors (left-to-right) are **blue**, **yellow**, **red**.

Your program shall output the `.ppm` file representing the flag of Romania. Name your program `romania.c`.

Image dimensions: 600 rows, 900 columns.

Image 3: Flag of The United Arab Emirates: `uae.c`

The image is the flag of The United Arab Emirates. The flag consists of a vertical red field at the hoist (left side of the flag), and three horizontal fields of equal height at the fly (right side of the flag). The colors of the horizontal fields are from top to bottom: green, white, black.

Feature	Size/Dimensions
Image size:	600 rows, 1200 columns
Vertical field width:	300 columns

Name your program `uae.c`

Image 4: Flag of Sweden: `sweden.c`

The image is the flag of Sweden. The flag is a blue field with a yellow cross on it. Name your program `sweden.c`.

Image dimensions: 500 rows, 800 columns.
Cross bar width: 100.
Left rectangles (top and bottom): 200 rows, 250 columns
Right rectangles (top and bottom): 200 rows, 450 columns

Image 5: Flag of Palau: `palau.c`

The image is the flag of Palau. The flag of Palau consists of a light blue field with a yellow circle, positioned slightly towards the hoist (left) on it. Name your program `palau.c`. The flag dimensions are as follows:

Image dimensions: 600 rows, 1000 columns
Circle radius: 150
Circle center: row: 300, column: 400

Image 6: Flag of Niger: `niger.c`

The image is the flag of Niger. The flag of Niger consists of three horizontal stripes of equal height: orange at the top, white in the middle, and green at the bottom. The middle stripe has an orange circle centered at the center of the flag/stripe. Name your program `niger.c`. The dimensions are as follows:

Image dimensions: 600 rows, 800 columns
Circle radius: 90

Image 7: Flag of the Republic of Congo: `congo.c`

The image is the flag of the Republic of Congo (capital: Brazzaville). The flag consists of three fields: a green triangle at the hoist, a yellow diagonal bar in the middle, and a red triangle at the fly. Name your program `congo.c`. The dimensions of the flag are:

Image dimensions: 600 rows, 900 columns
Yellow bar width: 300 columns

(all other dimensions can be deduced from these).

Image 8: Flag of Kuwait: Kuwait.c

The image is the flag of Kuwait. The flag consists of four fields. At the hoist is a black trapezoid. The other three fields are horizontal stripes of equal height: green at the top, white in the middle and red at the bottom. Name your program `kuwait.c`. The flag has the following dimensions:

Image dimensions: 600 rows, 1200 columns
Trapezoid height: 300 columns

Submission.

Files to submit. You shall submit **nine** files:

```
team.txt,  
bulgaria.c,  
romania.c,  
uae.c,  
sweden.c,  
palau.c,  
niger.c,  
congo.c,  
kuwait.c
```

`team.txt` file shall contain the name of the team and the names of the two team members in each pair, and the Cal Poly IDs of each. E.g, if I were on the team with Dr. John Bellardo, my `team.txt` file would be

```
Go, Poly!  
John Bellardo, bellardo  
Alex Dekhtyar, dekhtyar
```

Files can be submitted one-by-one, or all-at-once, but all files should be submitted from the same student account.

Submission procedure. You will be using `handin` program to submit your work. The submission command is:

For Section 01 students:

```
> handin dekhtyar-grader lab04-2-01 <your files go here>
```

For Section 09 students:

```
> handin dekhtyar-grader lab04-2-09 <your files go here>
```

Grading

Each program is worth 12.5% of the lab grade.

Any submitted program that does not compile earns 0 points.

All programs will be checked for style conformance. Any style violation will be noted. The program will receive a 10% penalty. (In particular, declare all "magic" numbers as constants).

Appendix A. Testing

Instructor's Images. The PPM files generated by the instructor's programs are provided to you on the Lab 4 web page.