

## Data Mining: Classification/Supervised Learning Examples

### Open Houses

A family is looking to buy a house. Their search leads them to a list of open houses in their town that they can visit. We have information about the number of bedrooms, existence of basement, type of floorplan and geographical location of the house. We also have information on whether the family chose to visit the open house.

HouseId	Bedrooms	Basement	Floorplan	Location	Visited
1	3	No	traditional	South	No
2	3	Yes	traditional	South	Yes
3	3	Yes	open	North	No
4	3	Yes	traditional	North	No
5	3	No	open	North	No
6	3	Yes	traditional	South	Yes
7	3	Yes	open	South	No
8	3	No	traditional	South	No
9	4	No	traditional	South	Yes
10	4	Yes	open	North	No
11	4	Yes	open	South	Yes
12	4	No	traditional	North	No
13	4	No	open	South	Yes
14	4	Yes	open	South	Yes
15	4	No	traditional	North	No
16	4	Yes	open	North	No

Our goal is to build a decision-tree classifier that predicts whether a family will visit a specific house.

## C4.5. for the Open Houses dataset

**Step 1.** Determine the root node. Input: full dataset  $D$ , Attributes: {Bedrooms, Basement, Floorplan, Location}.

**Note:** Termination conditions on step 1 are false.

Info Gain computation.

$$Pr(\text{Visited} = \text{Yes}) = \frac{6}{16} = 0.375.$$

$$Pr(\text{Visited} = \text{No}) = \frac{10}{16} = 0.625.$$

$$\text{entropy}(D) = -\frac{3}{8} \cdot \log_2 \frac{3}{8} - \frac{5}{8} \cdot \log_2 \frac{5}{8} = 0.9544$$

**Bedrooms.**  $D_1 = \{1, 2, 3, 4, 5, 6, 7, 8\}$ ;  $D_2 = \{9, 10, 11, 12, 13, 14, 15, 16\}$ .

$$\text{entropy}(D_1) = -\frac{2}{8} \log_2 \frac{2}{8} - \frac{6}{8} \log_2 \frac{6}{8} = 0.811$$

$$\text{entropy}(D_2) = -\frac{4}{8} \log_2 \frac{4}{8} - \frac{4}{8} \log_2 \frac{4}{8} = 1$$

$$\text{entropy}_{\text{Bedrooms}}(D) = \frac{8}{16} \cdot 0.811 + \frac{8}{16} \cdot 1 = 0.9055$$

$$\text{Gain}_{\text{Bedrooms}}(D) = 0.9544 - 0.9055 = 0.0489$$

**Basement.**  $D_1 = D_{\text{Yes}} = \{2, 3, 4, 6, 7, 10, 11, 14, 16\}$ ;  $D_2 = D_{\text{No}} = \{1, 5, 8, 9, 12, 13, 15\}$ .

$$Pr_{D_1}(\text{Visited} = \text{Yes}) = \frac{4}{9}$$

$$Pr_{D_2}(\text{Visited} = \text{Yes}) = \frac{2}{7}$$

$$\text{entropy}(D_1) = -\frac{4}{9} \log_2 \frac{4}{9} - \frac{5}{9} \log_2 \frac{5}{9} = 0.99107$$

$$\text{entropy}(D_2) = -\frac{3}{7} \log_2 \frac{3}{7} - \frac{4}{7} \log_2 \frac{4}{7} = 0.8631$$

$$\text{entropy}_{\text{Basement}}(D) = \frac{9}{16} \cdot 0.99107 + \frac{7}{16} \cdot 0.8631 = 0.9350$$

$$\text{Gain}_{\text{Basement}}(D) = 0.9544 - 0.9350 = 0.0193$$

**Floorplan.**  $D_1 = D_{\text{traditional}} = \{1, 2, 4, 6, 8, 9, 12, 15\}$ ;  $D_2 = D_{\text{Open}} = \{3, 5, 7, 10, 11, 13, 14, 16\}$ .

$$Pr_{D_1}(\text{Visited} = \text{Yes}) = \frac{3}{8}$$

$$Pr_{D_2}(\text{Visited} = \text{Yes}) = \frac{3}{8}$$

$$\text{entropy}(D_1) = -\frac{3}{8} \log_2 \frac{3}{8} - \frac{5}{8} \log_2 \frac{5}{8} = 0.9544$$

$$\text{entropy}(D_2) = -\frac{3}{8} \log_2 \frac{3}{8} - \frac{5}{8} \log_2 \frac{5}{8} = 0.9544$$

$$\text{entropy}_{\text{Floorplan}}(D) = \frac{8}{16} \cdot 0.9544 + \frac{8}{16} \cdot 0.9544 = 0.9544$$

$$\text{Gain}_{\text{Floorplan}}(D) = 0.9544 - 0.9544 = 0$$

**Location.**  $D_1 = D_{\text{North}} = \{3, 4, 5, 10, 12, 15, 16\}$ ;  $D_2 = D_{\text{South}} = \{1, 2, 6, 7, 8, 9, 11, 13, 14\}$ .

$$Pr_{D_1}(\text{Visited} = \text{Yes}) = \frac{0}{7} = 0$$

$$Pr_{D_2}(\text{Visited} = \text{Yes}) = \frac{6}{9}$$

$$\text{entropy}(D_1) = -\frac{0}{7} \log_2 \frac{0}{7} - \frac{7}{7} \log_2 \frac{7}{7} = 0$$

$$\text{entropy}(D_2) = -\frac{6}{9} \log_2 \frac{6}{9} - \frac{3}{9} \log_2 \frac{3}{9} = 0.918$$

$$\text{entropy}_{\text{Location}}(D) = \frac{7}{16} \cdot 0 + \frac{9}{16} \cdot 0.918 = 0.516$$

$$\text{Gain}_{\text{Location}}(D) = 0.9544 - 0.516 = 0.438$$

**Step 1 result:** Location yields the best Information Gain.

Splitting the dataset on Location attribute:  $D_1 = D_{\text{North}} = \{3, 4, 5, 10, 12, 15, 16\}$ ;  
 $D_2 = D_{\text{South}} = \{1, 2, 6, 7, 8, 9, 11, 13, 14\}$ .

**Step 2:** Input:  $D_1 = \{3, 4, 5, 10, 12, 15, 16\}$ , Attributes: {Bedrooms, Basement, Floorplan}.

**Note:** This dataset is **homogenous**: no houses from  $D_1$  were visited.

$Class(D_1) = \text{No}$ .

**Step 3:** Input  $D_2 = D_{\text{South}} = \{1, 2, 6, 7, 8, 9, 11, 13, 14\}$ . Attributes: {Bedrooms, Basement, Floorplan}.

$entropy(D_2) = 0.918$

**Bedrooms.**  $D_{21} = D_{\text{South},3br} = \{1, 2, 6, 7, 8\}$ ;  $D_{22} = D_{\text{South},4br} = \{9, 11, 13, 14\}$ .

$Pr_{D_{21}}(\text{Visited} = \text{Yes}) = \frac{2}{5}$

$Pr_{D_{22}}(\text{Visited} = \text{Yes}) = \frac{4}{4}$

$$entropy(D_{21}) = -\frac{2}{5} \log_2 \frac{2}{5} - \frac{3}{5} \log_2 \frac{3}{5} = 0.9709$$

$$entropy(D_{22}) = -\frac{4}{4} \log_2 \frac{4}{4} - \frac{0}{4} \log_2 \frac{0}{4} = 0$$

$$entropy_{\text{Bedrooms}}(D_2) = \frac{5}{9} \cdot 0.9709 + \frac{4}{9} \cdot 0 = 0.5391$$

$$Gain_{\text{Bedrooms}}(D) = 0.918 - 0.5391 = 0.3785$$

**Basement.**  $D_{21} = D_{\text{South},\text{Yes}} = \{2, 6, 7, 11, 14\}$ ;  $D_{22} = D_{\text{No}} = \{1, 8, 9, 13\}$ .

$Pr_{D_{21}}(\text{Visited} = \text{Yes}) = \frac{4}{9}$

$Pr_{D_{22}}(\text{Visited} = \text{Yes}) = \frac{2}{4}$

$$entropy(D_{21}) = -\frac{4}{9} \log_2 \frac{4}{9} - \frac{1}{9} \log_2 \frac{1}{9} = 0.7219$$

$$entropy(D_{22}) = -\frac{2}{4} \log_2 \frac{2}{4} - \frac{2}{4} \log_2 \frac{2}{4} = 1$$

$$entropy_{\text{Basement}}(D) = \frac{5}{9} \cdot 0.7219 + \frac{4}{9} \cdot 1 = 0.8455$$

$$Gain_{\text{Basement}}(D) = 0.918 - 0.8455 = 0.0725$$

**Floorplan.**  $D_{21} = D_{\text{South},\text{traditional}} = \{1, 2, 6, 8, 9\}$ ;  $D_{22} = D_{\text{No}} = \{7, 11, 13, 14\}$ .

$Pr_{D_{21}}(\text{Visited} = \text{Yes}) = \frac{3}{5}$

$Pr_{D_{22}}(\text{Visited} = \text{Yes}) = \frac{3}{4}$

$$entropy(D_{21}) = -\frac{3}{5} \log_2 \frac{3}{5} - \frac{2}{5} \log_2 \frac{2}{5} = 0.9709$$

$$entropy(D_{22}) = -\frac{3}{4} \log_2 \frac{3}{4} - \frac{1}{4} \log_2 \frac{1}{4} = 0.8112$$

$$entropy_{\text{Basement}}(D) = \frac{5}{9} \cdot 0.9709 + \frac{4}{9} \cdot 0.8112 = 0.8999$$

$$Gain_{\text{Basement}}(D) = 0.918 - 0.8999 = 0.0181$$

**Step 3 result:** Bedrooms yields the best Information Gain.

**Step 4:**  $D_{21} = D_{\text{South},3br} = \{1, 2, 6, 7, 8\}$ ; Attributes: {Basement, Floorplan}.

$entropy(D_{21}) = 0.97095$

**Basement.**  $D_{211} = D_{\text{South},3br,\text{Yes}} = \{2, 6, 7\}$ ;  $D_{212} = D_{\text{South},3br,\text{No}} = \{1, 8\}$ .

$Pr_{D_{211}}(\text{Visited} = \text{Yes}) = \frac{2}{3}$

$Pr_{D_{212}}(\text{Visited} = \text{Yes}) = \frac{0}{2} = 0$

$$entropy(D_{211}) = -\frac{2}{3} \log_2 \frac{2}{3} - \frac{1}{3} \log_2 \frac{1}{3} = 0.918$$

$$entropy(D_{212}) = -\frac{0}{2} \log_2 \frac{0}{2} - \frac{2}{2} \log_2 \frac{2}{2} = 0$$

$$entropy_{\text{Basement}}(D) = \frac{3}{5} \cdot 0.918 + \frac{2}{5} \cdot 0 = 0.5509$$

$$Gain_{\text{Basement}}(D) = 0.97095 - 0.5509 = 0.42005$$

**Floorplan.**  $D_{211} = D_{\text{South,3br,traditional}} = \{1, 2, 6, 8\}$ ;  $D_{212} = D_{\text{South,3br,open}} = \{7\}$ .

$$\begin{aligned} Pr_{D_{211}}(\text{Visited} = \text{Yes}) &= \frac{2}{4} \\ Pr_{D_{212}}(\text{Visited} = \text{Yes}) &= \frac{0}{1} = 0 \\ \text{entropy}(D_{211}) &= -\frac{2}{4} \log_2 \frac{2}{4} - \frac{2}{4} \log_2 \frac{2}{4} = 1 \\ \text{entropy}(D_{212}) &= -\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} = 0 \\ \text{entropy}_{\text{Floorplan}}(D) &= \frac{4}{5} \cdot 1 + \frac{1}{5} \cdot 0 = 0.8 \end{aligned}$$

$$Gain_{\text{Floorplan}}(D) = 0.97095 - 0.8 = 0.1709$$

**Step 4 result:** Basement yields the best Information Gain

**Step 5:**  $D_{211} = D_{\text{South,3br,Yes}} = \{2, 6, 7\}$ ; Attributes:  $\{\text{Floorplan}\}$

$$\text{entropy}(D_{211}) = 0.918$$

**Floorplan.**  $D_{2111} = D_{\text{South,3br,Yes,traditional}} = \{2, 6\}$ ;  $D_{2112} = D_{\text{South,3br,Yes,open}} = \{7\}$ .

$$\begin{aligned} Pr_{D_{2111}}(\text{Visited} = \text{Yes}) &= \frac{2}{2} = 1 \\ Pr_{D_{2112}}(\text{Visited} = \text{Yes}) &= \frac{0}{1} = 0 \\ \text{entropy}(D_{2111}) &= -\frac{2}{2} \log_2 \frac{2}{2} - \frac{0}{2} \log_2 \frac{0}{2} = 0 \\ \text{entropy}(D_{2112}) &= -\frac{0}{1} \log_2 \frac{0}{1} - \frac{1}{1} \log_2 \frac{1}{1} = 0 \\ \text{entropy}_{\text{Basement}}(D) &= \frac{2}{3} \cdot 0 + \frac{1}{3} \cdot 0 = 0 \end{aligned}$$

$$Gain_{\text{Basement}}(D) = 0.918 - 0 = 0.918$$

**Step 5: result** Floorplan achieves significant Information gain.

**Steps 6 and 7:**  $D_{2111} = D_{\text{South,3br,Yes,traditional}} = \{2, 6\}$  and  $D_{2112} = D_{\text{South,3br,Yes,open}} = \{7\}$ : the list of attributes is exhausted,

$$\text{Class}(D_{2111}) = \text{Yes.}$$

$$\text{Class}(D_{2112}) = \text{No.}$$

**Step 8:** Input:  $D_{22} = D_{\text{South,4br}}\{9, 11, 13, 14\}$ . Attributes:  $\{\text{Basement, Floorplan}\}$ .

$$Pr_{D_{22}}(\text{Visited} = \text{Yes}) = 1, \text{ therefore:}$$

$$\text{Class}(D_{22}) = \text{Yes.}$$

**Resulting Tree:** Resulting tree is depicted below:

