

# Chapter Overview

## Rule-Based Reasoning with CLIPS

### Introduction

Review Lessons "Rule-Based Reasoning",  
"CLIPS"

### Forward Reasoning

Example: Flood Warning  
Example: Boxer

### Rete Algorithm

Example: Cats and Dogs

### Backward Reasoning

Example: Dinner Choices  
Example: Baseball

### Chapter Review

# Forward Reasoning

from data towards conclusions

**matching** known facts are compared with the premises of rules

if all premises of a rule are true, it is satisfied

**conflict resolution** if multiple rules are satisfied, one must be selected

**execution** the selected rule is applied  
new facts or rules can be generated

**usage** need for quick response, few facts, few rules many acceptable conclusions

**domains** monitoring and real-time process control, synthesis; design, configuration, planning, scheduling

# Flood Evacuation

example forward reasoning

## problem

flood warning and evacuation system for a flood-prone region

## problem analysis

- relatively small number of parameters and rules
- relations known prior to execution
- data acquisition automatically from sensors
- continuous monitoring required

## design decisions

- forward reasoning
- confidence factors
- inference network

## internal representation

- *rules*: rule number, parameters in the premises (upstream elements), parameters in the conclusions (downstream elements), premises, conclusions
- *parameters*: name, rules that modify the parameter, rules using the parameter, values and confidence factor (if known)
- *input data*: list of parameters used as inputs
- *conclusions*: output parameters

# BOXER

example forward reasoning

## **problem**

system for arranging things to be packed into boxes

## **problem analysis**

- relatively small number of parameters and rules
- not all relations known prior to execution
- synthesis problem: many possible solutions
- no optimal solution required
- pattern matching required for properties of objects

## design decisions

- forward reasoning
- pattern matching system
- conflict resolution
  - 1) larger number of instantiated premises first
  - 2) ordering of input data
- grouping of rules, reflects overall packing strategy
- some simplifying assumptions

# Pattern Matching

efficiency considerations

## problem

pattern matching can be extremely inefficient:  
all rules are compared with all the facts in  
every cycle  
 $\text{rules} * \text{facts}^{\text{premises}}$

## observation

most of these comparisons are not necessary  
in each step, only for changes in the fact base

## solution

keep a list of satisfied rules  
modify it only when changes occur due to  
addition or deletion of facts

# Rete Algorithm

efficient pattern matching

## **basic idea**

- keep track of satisfied rules

- updates according to changes in the fact base

## **pattern network**

- set of trees from all premises of all rules

## **join network**

- connects leaf nodes of the trees that share variables

- checks consistency of variable bindings

## **changed facts**

- modify the corresponding entries in the pattern and join network

# Conflict Resolution

selecting the next rule

**number of rules** to be executed in one cycle  
usually one, but several is possible (parallel execution)

**order of rules**

lowest number,  
lowest number after current rule,  
lowest numbered rule deriving a new fact, ...

**rule complexity** e.g. number of premises  
most complex (specific) rule first, or most  
generic (simplest) rule first

**order of facts**

lowest / highest number,  
oldest / newest, ...

in practice combinations of the above criteria are used

# Backward Reasoning

## goal selection

take one goal and determine all rules capable of satisfying that goal  
consequents of the rules must match the goal

## matching

check applicable rules; if all premises are satisfied, a rule can be executed, and the goal is solved;  
otherwise, new subgoals are created, or the user may provide inputs

## usage

unknown response time, possibly many facts,  
many rules few acceptable conclusions

## domains

classification, diagnosis;  
inference networks for static knowledge,  
otherwise pattern matching

## Example: Dinner Choices

example backward reasoning

### problem

select beverage and main course for a meal

### problem analysis

- small number of parameters and rules
- relations known prior to execution
- inputs provided by the user upon request
- planning problem, few possible solutions
- no pattern matching necessary

### design decisions

- backward reasoning
- inference network

If all inputs are provided in advance, forward reasoning can be applied

## Example: Baseball

example backward reasoning with pattern matching

### **problem**

choose a strategy in a particular situation  
here: signals from third base coach to batter  
and base runners

### **problem analysis**

- larger number of parameters and variables
- few rules
- relations not fully known prior to execution
- inputs determined by the progress of the game
- decision problem, few satisfactory solutions
- pattern matching required

## design decisions

- backward reasoning
- pattern matching

forward reasoning can be applied, too

potential problem: admissible, but inappropriate  
solution

# Chapter Review

## Rule-Based Reasoning with CLIPS

### Introduction

Review Lessons "Rule-Based Reasoning",  
"CLIPS"

### Forward Reasoning

Example: Flood Warning Example: Boxer

### Rete Algorithm

Example: Cats and Dogs

### Backward Reasoning

Example: Dinner Choices Example: Baseball