

Loading vc-cvs...

```
1 package caltool.schedule_ui;
2
3 import caltool.schedule.*;
4 import javax.swing.*;
5 import java.awt.*;
6 import java.awt.event.*;
7
8 /**
9  *
10 * Class ListMeetingTimesButtonListener defines the action listener that is
11 * attached to the Options button in the schedule meeting dialog. The
12 * actionPerformed method displays a meetings options dialog.
13 *
14 */
15
16 public class MeetingOptionsButtonListener implements ActionListener {
17
18     /**
19     * Construct this with the given Schedule model and parent dialog view.
20     * Access to the model is for calling its ScheduleAppointment method.
21     * Access to the parent view is for gathering data to be sent to Schedule.
22     * ScheduleAppointment.
23     */
24     public MeetingOptionsButtonListener(Schedule schedule,
25         ScheduleAppointmentDialog dialog) {
26         this.schedule = schedule;
27         this.dialog = dialog;
28     }
29
30     /**
31     * Respond to a press of the OK button by calling ScheduleAppointment with
32     * a new Appointment. The Appointment data are gathered from the
33     * JTextFields and other input fields in the parent dialog.
34     */
35     public void actionPerformed(ActionEvent e) {
36         System.out.println(
37             "In MeetingOptionsButtonListener.actionPerformed.");
38     }
39
40     /** The companion model */
41     protected Schedule schedule;
42
43     /** The parent view */
44     protected ScheduleAppointmentDialog dialog;
45
46 }
```