```
Loading vc-cvs...
```

```
 1  package caltool.schedule_ui;
 2
 3  import caltool.schedule.*;
 4  import javax.swing.*;
 5  import java.awt.*;
 6  import java.awt.event.*;
 7
 8  /****
 9   *
10   * Class ListMeetingTimesButtonListener defines the action listener that is
11   * attached to the Options button in the schedule meeting dialog.  The
12   * actionPerformed method displays a meetings options dialog.
13   *
14   */
15
16  public class MeetingOptionsButtonListener implements ActionListener {
17
18      /**
19       * Construct this with the given Schedule model and parent dialog view.
20       * Access to the model is for calling its ScheduleAppointment method.
21       * Access to the parent view is for gathering date to be sent to Schedule.
22       * ScheduleAppointment.
23       */
24      public MeetingOptionsButtonListener(Schedule schedule,
25              ScheduleAppointmentDialog dialog) {
26          this.schedule = schedule;
27          this.dialog = dialog;
28      }
29
30      /**
31       * Respond to a press of the OK button by calling ScheduleAppointment with
32       * a new Appointment.  The Appointment data are gathered from the
33       * JTextFields and other input fields in the parent dialog.
34       */
35      public void actionPerformed(ActionEvent e) {
36          System.out.println(
37              "In MeetingOptionsButtonListener.actionPerformed.");
38      }
39
40      /** The companion model */
41      protected Schedule schedule;
42
43      /** The parent view */
44      protected ScheduleAppointmentDialog dialog;
45
46  }
```