```java
package rolodex;

import javax.swing.*;
import java.awt.*;
import java.awt.event.*;
import mvp.*;

/****
 *
 * Class AddCardButtons is a view containing OK, Clear, and Cancel
 * buttons for the add or change card dialog.
 *
 */

public class AddCardButtons extends View {

    /**
     * Construct this with the given inputs.  The given Rolodex is the
     * companion model; the given add card dialog is the immediate view parent;
     * the given rolodex menu ui is the view grandparent.  One or more of these
     * model or view pointers is passed to the button listeners contained in
     * this.  See the button listener constructor specs below for further
     * discussion.
     */
    public AddCardButtons(Rolodex r, AddCardDialog acd, RolodexMenuUI rmui) {

        super(null, r);

        ok_button = new JButton("OK");
        okabl = new OKAddButtonListener(r, acd, rmui);
        clrabl = new ClearAddButtonListener(acd);
        canabl = new CancelAddButtonListener(rmui);

    }

    /**
     * Compose this by inserting the buttons into a horizontal box.
     */
    public void compose() {

        JButton jb;             // Temp var for button being inserted into box

        /*
         * Make the widget of this a horizontal box.
         */
        widget = b = new Box(BoxLayout.X_AXIS);

        /*
         * Enter the buttons into the box, delimited with struts.  Set the
         * specialized action listener for each button.
         */
        b.add(Box.createHorizontalStrut(20));
        b.add(ok_button);
        ok_button.addActionListener(okabl);

        b.add(Box.createHorizontalStrut(20));
        b.add(jb = new JButton("Clear"));
        jb.addActionListener(clrabl);

        b.add(Box.createHorizontalStrut(20));
        b.add(jb = new JButton("Cancel"));
        jb.addActionListener(canabl);

        b.add(Box.createHorizontalStrut(20));
    }

    /** Containing box for the buttons. */
    protected Box b;

    /** OK button */
    protected JButton ok_button;

    /** OK button listener */
    protected OKAddButtonListener okabl;

    /** Clear button listener */
    protected ClearAddButtonListener clrabl;

    /** Cancel button listener */
    protected CancelAddButtonListener canabl;
}
```