```java
package rolodex;

import javax.swing.*;
import java.awt.*;
import java.awt.event.*;
import java.io.*;
import mvp.*;

/****
 *
 * Class RolodexCommandEditor is a purely textual view of the <a href =
 * "Rolodex.html"> Rolodex model </a> class.  It presents a UNIX-like
 * (or DOS-like) textual command shell through which the user enters rolodex
 * commands.  The RolodexCommandEditor window is a JTextArea.
 *                                                                         <p>
 * It is noteworthy this textual rolodex view uses exactly the same <a href=
 * "Rolodex.html"> Rolodex model API </a> as the GUI rolodex view in <a href=
 * "RolodexMenuUI.html"> RolodexMenuUI. </a>.
 *
 */

public class RolodexCommandEditor extends View {

    /**
     * Construct this with the given Screen, RolodexMultiViewMenuUI grandparent
     * view, and Rolodex model.  The model is sent through to the
     * CommandProcessor process class, where actual model communication takes
     * place.
     */
    public RolodexCommandEditor(Screen s, RolodexMultiViewMenuUI rmui,
            Rolodex r) {

        /*
         * Call the parent constructor.
         */
        super(s, null);

        /*
         * Construct the specialized text area representation and the command
         * processing class; send the former to the latter.  Note that we don't
         * need to keep a copy of the command processor class here, since it's
         * used only by the specialized text area (our subview).
         */
        ceta = new CommandEdTextArea(
            RolodexMultiViewMenuUI.COMMAND_ED_HEIGHT,
            RolodexMultiViewMenuUI.COMMAND_ED_WIDTH,
            this, rmui, new RolodexCommandProcessor(r));

    }

    /**
     * Compose the window of this by adding the JTextArea.
     */
    public void compose() {

        /*
         * Make the window.
         */
        window = new mvp.Window();

        /*
         * Set the text ed font to something "terminal looking".
         */
        ceta.setFont(new Font("Courier", Font.PLAIN, 12));

        /*
         * Add the text area to the window's content pane.
         */
        window.getContentPane().add(ceta);

        /*
         * Add some canned text for demo purposes.
         */
        ceta.append(
            "> add \"Gene Fisher\" 563928591 48 M \"Bldg 14, Rm 210\"\n> ");

        /*
         * Don't forget to set the title and pack the window.
         */
        window.setTitle("Rolodex Command Shell");
        window.pack();

    }

    /**
     * Get the most recently entered command line string from text area.
     */
    protected String getCommandLine() {
        /*
         * Just a stub implementation.
         */
        return new String(
            "add \"Gene Fisher\" 563928591 48 M \"Bldg 14, Rm 210\"\n>");
    }


    /** The representation of this is a specialized JTextArea. */
    protected CommandEdTextArea ceta;

}
```